

Survey Report

NO.: A06110903R

Date: Nov 09, 2006


Page 1 of 12

Customer: HiModel Co., Ltd.**Address:** Room 51, Technology Plaza, No.236 Liaoning Road, Qingdao, China**Report on the submitted sample said to be****Sample name:** Electronic Speed Controller for Brushless Motor**Model:** /**Item/Lot No.:** /**Material:** /**Buyer:** /**Supplier:** /**Manufacturer:** /**Reports received date:** Nov 09, 2006**Requisition:** To combine the test reports for the submitted sample**Conclusion:** All reports as specified by client, determine the Lead, Cadmium, Mercury, Hexavalent Chromium and/ or PBB & PBDE content in the submitted samples which are restricted in Directive 2002/95/EC (RoHS).


*****FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE (S)*****

Signed for AOV Ltd.


Written by



Approved by



Inspected by



This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longling Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 2 of 12

Test Results:

No.	Sample description in report	Unit	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium (CrVI)
1	Chip resistor CR0603 (CR0402/CR0508/CR1206/ 8P4R) (white chip resistor (mixed))	ppm	32	N.D.	N.D.	N.D.
2	NTC THERMISTOR	ppm	N.D.	N.D.	N.D.	N.D.
3	MLCC	ppm	N.D.	N.D.	N.D.	N.D.
4	MLCC	ppm	29	N.D.	N.D.	N.D.
5	AVX Standard tantalum capacitors: TAJ/TLJ/TPS/ TPM Series	ppm	N.D.	N.D.	N.D.	N.D.
6	SOT-23	ppm	N.D.	N.D.	N.D.	N.D.
7	D ² PAK-5	ppm	10.7	N.D.	N.D.	N.D.
8	Pure tin plating	ppm	13.4	N.D.	N.D.	N.D.
9	Atmel AVR flash Microcontroller	ppm	N.D.	N.D.	N.D.	N.D.
10	IC (Black solid (body))	ppm	N.D.	N.D.	N.D.	N.D.
11	IRF4905PBF (TO-220)	ppm	4.1	<1.0	<1.0	<1.0
12	Lead-free PCB (PCB)	ppm	10	N.D.	N.D.	N.D.
13	Aluminum Electrolytic capacitor					
13-1	Lead wire	ppm	60.4	N.D.	N.D.	N.D.
13-2	Electrode aluminum foil	ppm	N.D.	N.D.	N.D.	N.D.
13-3	Paper	ppm	N.D.	N.D.	N.D.	N.D.
13-4	Aluminum case	ppm	61.3	N.D.	N.D.	N.D.
13-5	Aluminum electrolytic capacitor	ppm	N.D.	N.D.	N.D.	N.D.
13-6	Rubber	ppm	N.D.	N.D.	N.D.	N.D.
13-7	Electrolytic	ppm	N.D.	N.D.	N.D.	N.D.
13-8	Electrode aluminum foil	ppm	N.D.	N.D.	N.D.	N.D.
14-1	Tinning copper wire (Silvery metal wire)	ppm	19	N.D.	N.D.	N.D.
14-2	Silicone rubber pigment (Purple silicone rubber pigment)	ppm	10	N.D.	N.D.	N.D.
14-3	Silicone rubber pigment (Red silicone rubber pigment)	ppm	N.D.	N.D.	N.D.	N.D.
14-4	Silicone rubber pigment (Black silicone rubber pigment)	ppm	7	N.D.	N.D.	N.D.
15-1	Black plastic	ppm	17	N.D.	N.D.	N.D.
15-2	Terminal (0.1mm-0.4mm) (Golden metal sheet)	ppm	42	4	N.D.	N.D.
15-3	Silver-white metal"tin ball" (silvery metal block)	ppm	55	N.D.	N.D.	---

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 3 of 12

Test Results:

No.	Sample description in report	Unit	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)	Chromium (CrVI)
15-4	Electrical wire					
15-4a	Black plastic (jacket)	ppm	N.D.	N.D.	N.D.	N.D.
15-4b	Coppery metal wire w/silvery metal	ppm	26	N.D.	N.D.	N.D.
16	Black silicone (Gap Pad (R) 1500)	ppm	N.D.	N.D.	N.D.	N.D.
17	Steels (1000 series) (Silvery metal pin)	ppm	N.D.	N.D.	N.D.	N.D.
18	Mixed yellow/green/red plastic jacket with black printed	ppm	36.2	N.D.	N.D.	N.D.
19-1	White stickiness paper slip	ppm	N.D.	N.D.	N.D.	N.D.
19-2	100E silvery (100E silvery) (Silvery ink)	ppm	N.D.	N.D.	N.D.	N.D.
19-3	Dragon-FC magenta (Red paint)	ppm	N.D.	N.D.	N.D.	N.D.
19-4	Dragon-EC yellow (Yellow paint)	ppm	N.D.	N.D.	N.D.	N.D.
19-5	Dragon-FC black (Black paint)	ppm	N.D.	N.D.	N.D.	N.D.
19-6	Dragon-FC black (Blue paint)	ppm	N.D.	N.D.	N.D.	N.D.
20-1	White paper	ppm	4	N.D.	N.D.	N.D.
20-2	SKY Elephant black (Black paint)	ppm	3	N.D.	N.D.	N.D.
21	Defend static screen bag (Transparent blue plastic bag w/yellow printing)	ppm	N.D.	N.D.	N.D.	N.D.
22-1	Lead-yellow coppery stick (gold metal stick)	ppm	11432	80	N.D.	N.D.
22-2	Gild product (Gold plating metal)	ppm	3	N.D.	N.D.	N.D.
23	Black plastic jacket with white printed	ppm	22.7	N.D.	N.D.	N.D.
24	Glue bag (Transparent plastic)	ppm	N.D.	N.D.	N.D.	N.D.
25	Lead free solder paste PF305-117(T) HO/TO/EO/DO	ppm	306	N.D.	N.D.	N.D.

Note:

-N.D. = not detected (<2ppm)

-ppm=mg/kg

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 4 of 12

Test Results:

Flame Retardants	Unit	No.1	No.2	No.3	No.4	No.5	No.6	No.7	No.8
Polybrominated Biphenyls(PBBs)	--	--	--	--	--	--	--	--	--
Monobromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tibromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Polybrominated Diphenyl ether (PBDEs)	--	--	--	--	--	--	--	--	--
Monobromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tibromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 5 of 12

Test Results:

Flame Retardants	Unit	No.9	No. 10	No.11	No.12	No.13 -1	No.13 -2	No.13 -3
Polybrominated Biphenyls(PBBs)	--	--	--	--	--	--	--	--
Monobromobiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Dibromobiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Tibromobiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Tetrabromobiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Pentabromobiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Hexabromobiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Heptabromobiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Octabromobiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Polybrominated Diphenyl ether (PBDEs)	--	--	--	--	--	--	--	--
Monobromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Dibromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Tibromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Octabromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl ether	ppm	N.D.	N.D.	<10	N.D.	N.D.	N.D.	N.D.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 6 of 12

Test Results:

Flame Retardants	Unit	No.13 -4	No.13 -5	No.13 -6	No.13 -7	No.13 -8	No.14 -2	No.14 -3
Polybrominated Biphenyls(PBBs)	--	--	--	--	--	--	--	--
Monobromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tibromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Polybrominated Diphenyl ether (PBDEs)	--	--	--	--	--	--	--	--
Monobromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tibromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co., Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 7 of 12

Test Results:

Flame Retardants	Unit	No. 14 <u>-4</u>	No. 15 <u>-1</u>	No. 15 <u>-4a</u>	No. 15 <u>-4b</u>	No. 16	No. 17	No. 18
Polybrominated Biphenyls(PBBs)	--	--	--	--	--	--	--	--
Monobromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tibromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Polybrominated Diphenyl ether (PBDEs)	--	--	--	--	--	--	--	--
Monobromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tibromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 8 of 12

Test Results:

Flame Retardants	Unit	No.19 -1	No.19 -2	No.19 -3	No.19 -4	No.19 -5	No.19 -6	No.20 -1
Polybrominated Biphenyls(PBBs)	--	--	--	--	--	--	--	--
Monobromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tribromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Polybrominated Diphenyl ether (PBDEs)	--	--	--	--	--	--	--	--
Monobromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tribromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 9 of 12

Test Results:

Flame Retardants	Unit	No.20	No.21	No.23	No.24	No.25
		-2				
Polybrominated Biphenyls(PBBs)	--	--	--	--	--	--
Monobromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Tibromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromobiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Polybrominated Diphenyl ether (PBDEs)	--	--	--	--	--	--
Monobromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Dibromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Tibromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Tetrabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Pentabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Hexabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Heptabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Octabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Nonabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.
Decabromodiphenyl ether	ppm	N.D.	N.D.	N.D.	N.D.	N.D.

Note:

-N.D. = not detected (<5ppm)

-ppm=mg/kg

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longling Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: /www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 10 of 12

Note:

Report date

-Results of No.1 refer to test report SH582883/CHEM & SH582879/CHEM	Nov 09, 2005 Nov 09, 2005
-Results of No.2 refer to test report KA/2006/20836	Feb 21, 2006
-Results of No.3 refer to test report THJ0016345	Mar 10, 2006
-Results of No.4 refer to test report THJ0016344	Mar 10, 2006
-Results of No.5 refer to test report CE/2006/42769A	Apr 24, 2006
-Results of No.6 refer to test report F690501/LF-CTSGP05-4583	Dec 26, 2005
-Results of No.7 refer to test report F690501/LF-CTS060688	Jul 29, 2005
-Results of No.8 refer to test report CE/2005/B2140	Nov 16, 2005
-Results of No.9 refer to test report CE/2005/65481	Jun 30, 2005
-Results of No.10 refer to test report SH6082960/CHEM	Jul 19, 2006
-Results of No.11 refer to test report 05-03284-01	Jul 14, 2005
-Results of No.12 refer to test report GZ0603031081/CHEM	Mar 21, 2006
-Results of No.13 refer to test report 10035216.A-H/05	Sep 22, 2005
-Results of No.14-1 refer to test report GZSCR051190648/LP	Nov 25, 2005
-Results of No.14-2 refer to test report 2062918/EC	Jun 15, 2006
-Results of No.14-3 refer to test report 2062901/EC	Jun 15, 2006
-Results of No.14-4 refer to test report 2062912/EC	Jun 17, 2006
-Results of No.15-1 refer to test report GZ0602020027/CHEM	Mar 02, 2006
-Results of No.15-2 refer to test report GZ0601009968/CHEM	Feb 06, 2006
-Results of No.15-3 refer to test report GZ0604060362/CHEM	May 10, 2006
-Results of No.15-4 refer to test report GZSCR050644376/LP	Jul 06, 2005
-Results of No.16 refer to test report 1091920	Aug 31, 2005
-Results of No.17 refer to test report GZSCR051191388/LP	Nov 29, 2005
-Results of No.18 refer to test report CE/2006/25787	Mar 06, 2006
-Results of No.19-1 refer to test report GZ0604053159/CHEM	Jan 21, 2006
-Results of No.19-2 refer to test report GZ0603029703/CHEM	Mar 20, 2006
-Results of No.19-3 refer to test report 2042626/EC	Nov 17, 2005
-Results of No.19-4 refer to test report 2042623/EC	Nov 17, 2005
-Results of No.19-5 refer to test report 2042629/EC	Nov 18, 2005
-Results of No.19-6 refer to test report 2042619/EC	Nov 18, 2005
-Results of No.20-1 refer to test report SH5102407/CHEM	Jan 06, 2006
-Results of No.20-2 refer to test report 2063024/EC	Jun 17, 2006
-Results of No.21 refer to test report GZ0606080865A/CHEM	Jul 03, 2006
-Results of No.22-1 refer to test report SH575153/CHEM	Oct 19, 2005

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced excepted in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 11 of 12

Note:

- Results of No.22-2 refer to test report GZSCR051078927/LP
- Results of No.23 refer to test report CE/2006/25787
- Results of No.24 refer to test report 2039115/EC
- Results of No.25 refer to test report JP/2006/010363

Report date

Oct 27, 2005
Mar 02, 2006
Oct 19, 2005
Feb 01, 2006

Note:

- Test results are from other testing organizations. AOV testing technology Co., Ltd has no liability to assume the verification of the authenticity of the above test reports results.
- Test results of this test report refer to A06082403R.
- Photograph is included.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd


Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 <http://www.aovt.com>

Survey Report

NO.: A06110903R

Date: Nov 09, 2006

Page 12 of 12

Photograph of Sample

Electronic Speed Control for Brushless Motor

***End of Report ***

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

AOV Testing Technology Co. Ltd

Address: F5, Bldg. 4, Gaofa Technology Industry Zone, Longjing Rd., Nanshan District, Shenzhen, P. R. China
Tel: (86) 755-26753000 Fax: (86) 755-26753435 Http: //www.aovt.com